


enjoy life!





















## Micro 100

Equipment and technical features





Manufactured and assembled in Germany Quality and technology CE-compliant





Type (= max. awning pitch)	90°	135°
Technology	Drop-arm awning	Drop-arm awning
Casing (H x T), approx.	130 x 132 mm	130 x 132 mm
Widths [max.]		
1 unit (single panel)	700 cm	700 cm
Drops		
Arm lengths 75 / 100 / 125		
Arm lengths 150 / 175 cm		
Special arm lengths		
Drive		
Electric motor (for wall switch)		
Radio motor		
Crank drive		
Frame colours		
29 Lewens standard frame colours		
Natural silver (E6/EV 1 anodized, small components RAL 9006)		
Additional RAL, special colours and effect finishes		
Awning fabrics from the LEWENS collection		
Branded acrylic (spun-dyed, ultra fade resistant)		
Branded polyester/recycled polyester (spun-dyed, ultra fade resistant)		
Tenara quality sewing yarn		
Ultrasonic seam welding		
Options		
Radio motor + radio remote control		
Automatic weather sensor (sun, wind, rain)		
Attachment		
Wall		
Ceiling/niche		

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

Standard	□ Optio
21 411114111	



Your stockist will be happy to advise you:

