

Vertical awning  
Insect screen

# Micro Doppio

Just  
*enjoy* life!

**Lewens**  
MARKISEN

Lewens








## Micro Doppio - dual zip convenience

Dual vertical awning with sun and insect protection




*Insect screen  
[image 100%]*

### Cover

*The ultra-transparent insect screen of the inner layer keeps insects safely at bay thanks to the lateral zip guide.*

*Semi-transparent glass fibre screen fabrics are available for the outer layer, offering sun and privacy protection.*



*Screen Serge 3%  
[image 100%]*


## Equipment

- Width max. 400 cm, height max. 250 cm, depending on the cover
- Electric motor *with obstacle recognition*
- Options:  
Radio motor / radio remote control,  
Solar radio motor *(only Somfy IO)*,  
LED lighting,  
automatic weather sensor
- Cover, inner layer:  
Insect screen  
*(ultra-transparent, black)*
- Cover, outer layer:  
Glass fibre screen fabric  
*(Screen Sergé 3%,  
Screen Sergé 1% max. 350 cm width)*



*The Micro Doppio can be fitted both in front of the window opening and flush with the façade inside the opening.*


The Micro Doppio vertical awning combines variable privacy and sun protection with an insect screen in a dual awning. Fitted with two rollers and two motors, the two parts of the unit can be controlled independently of one another. Zip guides ensure a taut fabric and smooth appearance for both parts. The zip guide on the insect mesh also ensures complete insect protection.



### **ZIP** fabric guide

**Track with lateral zip guides:**

*For an insect screen without any gaps, high fabric tension and wind safety.*



# Micro Doppio

Equipment and technical features



Manufactured and assembled in Germany  
Quality and technology CE-compliant



Types	Angular
Fabric guide	<b>ZIP</b>
Cassette (H x D), approx.	150 x 141 mm
Widths <i>(max.)</i>	
1 unit <i>(single panel)</i>	400 cm
System height <i>(max.)</i>	
Ordering height	250 cm
Drive	
Electric motor (for wall switch) with obstacle recognition	<input checked="" type="checkbox"/>
Radio motor	<input type="checkbox"/>
Frame colours	
29 Lewens standard frame colours	<input checked="" type="checkbox"/>
Natural silver <i>(E6/EV 1 anodized, small components RAL 9006)</i>	<input checked="" type="checkbox"/>
Additional RAL, special colours and effect finishes	<input type="checkbox"/>
Awning fabrics <i>from the LEWENS collection</i>	
Inner layer – insect screen	<input checked="" type="checkbox"/>
Outer layer – Screen Sergé 3% and 1%	* <input checked="" type="checkbox"/>
Options	
1   Radio motor with obstacle recognition + radio remote control	<input type="checkbox"/>
2   Solar-Funkmotor (Somfy io)	<input type="checkbox"/>
3   Automatic weather sensor (sun, wind, rain)	<input type="checkbox"/>
4   LED strip <i>(under the front panel of the cassette)</i>	<input type="checkbox"/>
Attachment	
Wall	<input checked="" type="checkbox"/>

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

☒ Standard ☐ Option  
\* Screen **Sergé 1%** max. 350 cm width



Your stockist will be happy to advise you:



[www.lewens-markisen.de](http://www.lewens-markisen.de)

Subject to technical alterations. Date: 01/2025