







Murano Puro – glass roof

Weather protection for small and medium-sized patios



Flush type (B)

with front-facing posts

The posts are in line with the gutter for a compact, modern look.
Rainwater is drained via the rafters, gutter and down the inside of the post.





- Width max. 700 cm, depth max. 350 cm
- With 2 to 3 posts
 (depending on load and type)
- Optional roof pitch:
 3° to 10° (stepless)
- Options: LED lighting, radiant heater





The essence of outdoor living: the Murano Puro glass roof offers a sturdy, versatile and attractively priced option for extending the living space. The posts are in line with the gutter, maximising the area under cover and turning even small patios into a really comfortable nook. Practical detail: the downpipe is integrated invisibly into the posts.

Glass joint
with trim in frame colour
for dividing the glass pane

Pure and simple: Flat-ended rain gutter



Slender rafters

give the Murano Puro an elegant appearance. Rafter spacings up to 120 cm wide permit the use of large glass panes (depending on roof size and load).

Murano Puro

Equipment and technical features









Manufactured and assembled in Germany TÜV-tested safety

TÜV-tested safety germany EN 1090 Quality and technology CE-compliant	Flush Type (B)
Styles	B1, B2, B3
– Posts laterally external	B 1
– Posts laterally recessed	B 2
– with 3rd support	B 3
– Reinforcement: Murano Vetro gutter (v)	v
Dimensions (max.)	
Width, 1 unit (single field)	700 cm
Depth (type B: to inner edge of post; type Ü: to outer edge of gutter)	350 cm
Pitch angle, stepless (at least 5° recommended)	3° - 10°
Rafter spacings (max., depending on type, roof size, load)	120 cm
Post height 240 cm	
Longer posts	
Rainwater drainage	
Downpipe integrated into post	
Glazing	
for laminated safety glass (LSG, clear) or twin-wall sheets	!
Frame colours	
29 Lewens standard frame colours	
Additional RAL, special colours and effect finishes	
Options	
Lighting - LED strips	
Radiant heater (only wall attachment)	
Glass joint	
Additional drainage (downpipe integrated into post)	
Lateral connection profile/various profiles/support frame	

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

■ Standard \square Option ! Not included in scope of supply

Types and styles



B1 flush, external

B1v as B1, with Murano Vetro gutter



B2 flush, laterally recessed

B2v as B2, with Murano Vetro gutter



B3 as B1, with 3rd support

B3v as B3, with Murano Vetro gutter



Your stockist will be happy to advise you:

